



# *Side Winder* Gas Cut-Off Saws

A Multiquip Product



Powerful, industrial hand-held saws  
designed to tackle a variety of materials

## HS62 Gas Cut-Off Saw

Blade Capacity ..... 12" or 14"

Weight ..... 21 lbs.

Engine ..... 62 cc — 2-cycle

The Multiquip *Side Winder* High Speed Saw is an easy-to-handle gas powered cutter designed to tackle a variety of sawing applications. This series employs simple, EPA approved two-cycle gasoline engines, and ergonomically constructed frames that ensure power-on-demand and easy operator handling.

The *Side Winder* features a proven triple air filtration system, reversible blade flange to handle both 20mm and 1" blade arbors, reversible cutting arm to allow close-in cutting, easy-adjust cam V-belt adjuster, and sturdy front roller bar assembly. The saw operates either a 12" blade (4" depth of cut) or a 14" blades (5" depth of cut).




HS62



## HS81 Gas Cut-Off Saw

Blade Capacity ..... 12" or 14"  
 Weight ..... 23 lbs.  
 Engine ..... 81 cc — 2-cycle



HS81



*Three independent air filters are utilized to ensure maximum engine protection for all operating conditions.*

- Powerful 62 cc or 81 cc 2-cycle gasoline engine models meets EPA standards
- Operates either 12" or 14" Blade
- Independent Triple Stage Air Filtration System
- Industrial Crankshaft Bearings for reliable service and extended operating life
- Compression Release System reduces the pulling force required for engine start
- Reversible Blade Flange precision machined to accept 20 mm or 1" arbors
- Reversible Cutting Arm permits close-in wall/column sawing
- Easy-Adjust Cam V-Belt Tensioner
- Rugged Front Roller Bar Assembly for smooth accurate tracking
- Adjusting Blade Guard hand knob locks guard to infinite positions, accommodates either 12" or 14" blade.
- Water Kit comes standard on HS62/HS81 models

Model	Engine	Blade Capacity in. (mm)	Cutting Depth in. (mm)	Weight lb. (kg)	Dimensions in. (mm)
<i>Side Winder</i> SERIES					
HS62	62 cc 2-Cycle Gas Engine, 4.7 HP	12 / 14 (305 / 356)	4 / 5 (102 / 127)	21 (9.5)	26 x 8 x 16 (660 x 203 x 406)
HS81	81 cc 2-Cycle Gas Engine, 6.3 HP	12 / 14 (305 / 356)	4 / 5 (102 / 127)	23 (10.4)	26 x 8 x 16 (660 x 203 x 406)

© COPYRIGHT 2003, MULTIQUIP INC.

## HS Series — Dry Segmented Rim Diamond Blades

Size	Grade	Hard Materials	Abrasive Materials
12" x .125" x 1"-20mm	Standard	12GPS	—
12" x .125" x 1"-20mm	Premium	12SBL	12SBLA
12" x .125" x 1"-20mm	Premium Plus	12PDHS1	12PDHS1A
12" x .125" x 1"-20mm	Super Premium	12PDHS2	12PDHS2A
12" x .125" x 1"-20mm	Supreme	12PDHS3	12PDHS3A
14" x .125" x 1"-20mm	Standard	14GPS	—
14" x .125" x 1"-20mm	Premium	14SBL	14SBLA
14" x .125" x 1"-20mm	Premium Plus	14PDHS1	14PDHS1A
14" x .125" x 1"-20mm	Super Premium	14PDHS2	14PDHS2A
14" x .125" x 1"-20mm	Supreme	14PDHS3	14PDHS3A



## Side Winder HS Series — Dry Side Winder II Series Blades

Size	Grade	General Materials	Asphalt/Green Concrete and Abrasive Materials
12" x .125" x 1"	Premium Plus	12SW2	12SW2G
14" x .125" x 1"	Premium Plus	14SW2	14SW2G



## Side Winder HS Series — Dry Side Winder Pro Series Blades

Size	Grade	General Materials	Asphalt/Green Concrete and Abrasive Materials
12" x .125" x 1"	Professional	12SD2W	12SDWG
14" x .125" x 1"	Professional	14SD2W	14SWG



Note: All HS Series Diamond Blades available with 20 mm arbor on request.

[superiorequipmentonline.com](http://superiorequipmentonline.com)



Atlanta • Boise • Newark  
Quebec, Canada • Manchester, UK • Rio de Janeiro, BR • Guadajajara, MX

All specifications and features are subject to change without notice.  
MQSWGASCUTSAWS-498 Rev. B (10-03)